

IN THE CLAIMS:

1. (currently amended) A combination wipe and attachment for converting a cleaning implement to a mop, comprising a flexible cover, said cover in its flat unassembled condition having a first end and a second end, a continuous intermediate section between said first end and said second end, said second end terminating in a U-shaped outer edge and being bifurcated to create a pair of spaced outwardly extending flaps with an open area between said flaps with said flaps thereby being spaced apart and out of contact with each other, said cover having an inner surface and an outer surface, said intermediate section including a central section between said first end and said second end, fastening structure non-detachably on said inner surface of said flaps, complementary fastening structure non-detachably on said outer surface of said first end, said fastening structure and said complementary fastening structure being located for engagement when said cover is folded around a cleaning head of a cleaning implement to form a closed loop around the cleaning head with said flaps being outwardly of and secured to said first end whereby said open area between said flaps is adapted to accommodate a handle extending outwardly from the cleaning head, said loop having a top and a bottom, and said central section being at said bottom of said loop remote from said secured first end and flaps at said top of said loop, said

intermediate section having a first contact portion on one side of said loop adjacent to said central section, said intermediate section having a second contact portion on an opposite side of said loop adjacent to said central section, each of said first contact portion and said second contact portion being made of absorbent material to provide a cleaning area on each side of said loop at said bottom of said loop whereby the mounting of said attachment to a cleaning implement converts the cleaning implement to a mop.

2. (original) The combination of claim 1 including dispensing structure in said cleaning area of at least one side of said loop for dispensing an added ingredient.

3. (currently amended) ~~The combination of claim 2 wherein~~
A combination wipe and attachment for converting a cleaning implement to a mop, comprising a flexible cover, said cover in its flat unassembled condition having a first end and a second end, a continuous intermediate section between said first end and said second end, said second end being bifurcated to create a pair of spaced outwardly extending flaps with an open area between said flaps, said cover having an inner surface and an outer surface, said intermediate section including a central section between said first end and said second end, fastening structure on said inner surface of said flaps, complementary fastening structure on said outer surface of said first end, said

fastening structure and said complementary fastening structure
being located for engagement when said cover is folded around a
cleaning head of a cleaning implement to form a closed loop
around the cleaning head with said flaps being outwardly of and
secured to said first end whereby said open area between said
flaps is adapted to accommodate a handle extending outwardly from
the cleaning head, said loop having a top and a bottom, and said
central section being at said bottom of said loop remote from
said secured first end and flaps at said top of said loop, said
intermediate section having a first contact portion on one side
of said loop adjacent to said central section, said intermediate
section having a second contact portion on an opposite side of
said loop adjacent to said central section, each of said first
contact portion and said second contact portion being made of
absorbent material to provide a cleaning area on each side of
said loop at said bottom of said loop whereby the mounting of
said attachment to a cleaning implement converts the cleaning
implement to a mop, including dispensing structure in said
cleaning area of at least one side of said loop for dispensing an
added ingredient, said entire cover is being made of said
absorbent material to provide a single continuous cleaning area
extending from said one side of said loop to said opposite side
of said loop, and said cover being impregnated throughout with
said added ingredient to comprise said dispensing structure.

4. (original) The combination of claim 2 wherein said central section is made of absorbent material whereby said contact portions are integral with each other to form a single continuous cleaning area, said dispensing structure being a pad mounted to said cover in said single continuous cleaning area, and said pad containing said added ingredient.

5. (currently amended) The combination of claim 4 wherein said pad is located against said inner surface within said loop with said cover disposed outwardly of said pad, and said pad extending from said one side of said loop to said opposite side of said loop across said central section.

6. (original) The combination of claim 4 wherein said pad is located against said outer surface outside of said loop, and said pad extending from said one side of said loop to said opposite side of said loop across said central section.

7. (currently amended) The combination of claim 4 wherein said pad is located on said one side of said ~~loops~~ loop and does not extend to said opposite side of said loop with the combined thickness of said pad and said loop on said one side being greater than on said opposite side whereby said cleaning area on opposite side of said loop may function as a wipe.

8. (original) The combination of claim 4 wherein said pad is a coating non-detachably mounted to said cover.

9. (original) The combination of claim 2 wherein said

dispensing structure is a flexible pouch mounted to one of said sides of said loop, said pouch containing said added ingredient, and said pouch having a one-way valve in an outer wall thereof to dispense said added ingredient when pressure is applied to said pouch.

10. (original) The combination of claim 9 wherein said pouch is detachably mounted to said cover.

11. (original) The combination of claim 1 wherein said intermediate section has side edges whereby said loop has two opposite sets of side edges, and each of said sets of side edges having supplemental fastening structure to secure said sets of said edges together.

12. (currently amended) ~~The combination of claim 1 wherein~~
A combination wipe and attachment for converting a cleaning
implement to a mop, comprising a flexible cover, said cover in
its flat unassembled condition having a first end and a second
end, a continuous intermediate section between said first end and
said second end, said second end being bifurcated to create a
pair of spaced outwardly extending flaps with an open area
between said flaps, said cover having an inner surface and an
outer surface, said intermediate section including a central
section between said first end and said second end, fastening
structure on said inner surface of said flaps, complementary
fastening structure on said outer surface of said first end, said

fastening structure and said complementary fastening structure
being located for engagement when said cover is folded around a
cleaning head of a cleaning implement to form a closed loop
around the cleaning head with said flaps being outwardly of and
secured to said first end whereby said open area between said
flaps is adapted to accommodate a handle extending outwardly from
the cleaning head, said loop having a top and a bottom, and said
central section being at said bottom of said loop remote from
said secured first end and flaps at said top of said loop, said
intermediate section having a first contact portion on one side
of said loop adjacent to said central section, said intermediate
section having a second contact portion on an opposite side of
said loop adjacent to said central section, each of said first
contact portion and said second contact portion being made of
absorbent material to provide a cleaning area on each side of
said loop at said bottom of said loop whereby the mounting of
said attachment to a cleaning implement converts the cleaning
implement to a mop, said intermediate section ~~has~~ having side
edges whereby said loop has two opposite sets of side edges, and
one of said sets of side edges being longer than the other of
said sets of side edges whereby said bottom section is slanted to
conform to a slanted shape of the cleaning implement.

13. (original) The combination of claim 1 in further combination with a cleaning implement having a cleaning head and

a handle, and said cover being mounted around said cleaning head with said handle extending outwardly from said cleaning head through said open area between said flaps.

14. (currently amended) A cleaning attachment for converting a cleaning implement to a mop, comprising a flexible cover, said cover in its flat unassembled condition having a first end and a second end, a continuous intermediate section between said first end and said second end, said second end terminating in a U-shaped outer edge and being bifurcated to create a pair of spaced outwardly extending flaps with an open area between said flaps with said flaps thereby being spaced apart and out of contact, said cover having an inner surface and an outer surface, said intermediate section including a central section between said first end and said second end, fastening structure non-detachably on said inner surface of said flaps, complementary fastening structure non-detachably on said outer surface of said first end, said fastening structure and said complementary fastening structure being located for engagement when said cover is folded around a cleaning head of a cleaning implement to form a closed loop around the cleaning head with said flaps being outwardly of and secured to said first end whereby said open area between said flaps is adapted to accommodate a handle extending outwardly from the cleaning head, said loop having a top and a bottom, said loop having first and

second side walls formed by said intermediate section and separated from each other by said central section, reusable mounting structure on said outer surface on said first side wall and further reusable mounting structure on said outer surface of said cover, and said central section being at said bottom of said loop remote from said secured first end and flaps at said top of said loop with said reusable mounting structure and said further reusable mounting structure exposed at said outer surface to detachably mount a detached wipe at said first side wall of said loop to convert the cleaning implement to a mop and to detachably remove the wipe after use whereby a different non-detached wipe may be selectively mounted to said outer surface.

15. (original) The attachment of claim 14 wherein said further reusable mounting structure is on said first wall whereby a wipe may be mounted to said cover confined to said first wall.

16. (original) The attachment of claim 14 wherein said further reusable mounting structure is on said central section whereby a wipe may be mounted to said cover on said first wall extending to said central section.

17. (original) The attachment of claim 14 wherein said further reusable mounting structure is on said outer surface of said second wall whereby a wipe may be mounted to said cover to both of said walls and across said central section.

18. (original) The attachment of claim 17 wherein a pouch

is mounted to said first side wall above said reusable mounting structure, said pouch containing an added ingredient, said pouch having an outer wall remote from said cover, and said outer wall of said pouch having a one-way valve to dispense said added ingredient when pressure is applied to said pouch.

19. (original) The attachment of claim 14 wherein a pouch is mounted to one of said side walls, said pouch containing an added ingredient, said pouch having an outer wall remote from said one of said side walls, and a one-way valve in said pouch outer wall to dispense said added ingredient when pressure is applied to said pouch.

20. (original) The attachment of claim 19 wherein said pouch is detachably mounted to said cover.

21. (original) The attachment of claim 14 wherein intermediate section has side edges whereby said loop has two opposite sets of side edges, and each of said sets of side edges having supplemental fastening structure to secure said sets of said edges together.

22. (currently amended) ~~The attachment of claim 14 wherein~~
A cleaning attachment for converting a cleaning implement to a mop, comprising a flexible cover, said cover in its flat unassembled condition having a first end and a second end, a continuous intermediate section between said first end and said second end, said second end being bifurcated to create a pair of

spaced outwardly extending flaps with an open area between said flaps, said cover having an inner surface and an outer surface, said intermediate section including a central section between said first end and said second end, fastening structure on said inner surface of said flaps, complementary fastening structure on said outer surface of said first end, said fastening structure and said complementary fastening structure being located for engagement when said cover is folded around a cleaning head of a cleaning implement to form a closed loop around the cleaning head with said flaps being outwardly of and secured to said first end whereby said open area between said flaps is adapted to accommodate a handle extending outwardly from the cleaning head, said loop having a top and a bottom, said loop having first and second side walls formed by said intermediate section and separated from each other by said central section, reusable mounting structure on said outer surface on said first side wall and further reusable mounting structure on said outer surface of said cover, said central section being at said bottom of said loop remote from said secured first end and flaps at said top of said loop with said reusable mounting structure and said further reusable mounting structure exposed at said outer surface to detachably mount a detached wipe at said first side wall of said loop to convert the cleaning implement to a mop and to detachably remove the wipe after use whereby a different wipe may be

selectively mounted to said outer surface. said intermediate section ~~has~~ having side edges whereby said loop has two opposite sets of side edges, and one of said sets of side edges being longer than the other of said sets of side edges whereby said bottom section is slanted to conform to a slanted shape of the cleaning implement.

23. (currently amended) The attachment of claim 14 in combination with a wipe detachably mounted to said reusable mounting structure and to said further reusable mounting structure.

24. (original) The attachment of claim 23 in further combination with a cleaning implement having a cleaning head and a handle, and said cover being mounted around said cleaning head with said handle extending outwardly from said cleaning head through said open area between said flaps.

25-35. (canceled)